

FOR OFFICIAL USE ONLY
DECK LOG-TITLE PAGE
NAVPERS 3100/1 (1-66) (Formerly NAVPERS 716)

S/N-0105-404-1550



DECK LOG BOOK

OF THE

U.S.S. WADDELLDDG 24

IDENTIFICATION NUMBER

Attached to { THIRTY-TWO Division,
THREE Squadron,
THREE Flotilla,
SEVENTH Fleet,
Naval District,

Commencing -9I 0001 1 SEPTEMBER, 19 69 ,
(zone time and date)at YOKOSUKA, JAPAN,
(location)and ending -9I 2400 30 SEPTEMBER, 19 69 ,
(zone time and date)at YOKOSUKA, JAPAN
(location)Approved by: P. K. CULLINS, CDR, USN Commanding

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL XDG-24 ZONE DESCRIPTION -9I DATE MONDAY 1 SEPTEMBER 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 MOORED STARBOARD SIDE TO USS AJAX (AR-6) WITH STANDARD MOORING LINES. THE SHIP IS STEAMING ON 2B BOILER AND 2A AND 2B GENERATORS ARE ON THE LINE. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP. COMDESDIV 32 IS EMBARKED IN THIS SHIP. SOPA IS COMSERVGRU 3 EMBARKED THE AJAX. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE UNITED STATES SEVENTHFLT, JAPANESE SELF DEFENSE FORCE, YARD AND HARBOR CRAFT.

William C Green Jr
WILLIAM C GREEN JR ENS USNR

Φ4-Φ8 MOORED AS BEFORE

William C Green Jr
WILLIAM C. GREEN JR ENS USNR

Φ8-12 MOORED AS BEFORE.

H. M. Flick Jr
H. M. FLICK, JR, LTJG, USN

12-16 MOORED AS BEFORE

H. M. Flick Jr
H. M. FLICK, JR, LTJG, USN

16-20 MOORED AS BEFORE

H. M. Flick Jr
H. M. FLICK, JR, LTJG, USN

20-24 MOORED AS BEFORE

H. M. Flick Jr
H. M. FLICK, JR, LTJG, USN

EXAMINED

George Ellis LTJG C SNO. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24

DATE MONDAY 1 SEPTEMBER 69
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -9I DATE TUESDAY 2 SEPTEMBER 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM Yokosuka, JAPAN TO SASEBO JAPAN

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L <u>34°-40.6N</u>	BY <u>2</u>	
λ <u>140°-05.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>33°-50.2N</u>	BY <u>3</u>	
λ <u>139°-17.4E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-04 MOORED STARBOARD SIDE TO USS AJAX (AR-6) AT BERTH 7, YOKOSUKA, JAPAN~~
 00-04 MOORED STARBOARD SIDE TO USS AJAX (AR-6) AT BERTH 7, ~~YOKOSUKA, JAPAN~~ SASEBO, JAPAN WITH USS LEONARD F. MASON TO OUR PORT SIDE. ENGINEERING PLANT IS IN AUXILIARY STATUS WITH "2B" BOILER AND "2A" AND "2B" SHIPS SERVICE GENERATORS ON THE LINE. RECEIVING VARIOUS SERVICES FROM THE PIER. SOPA IS COMSERVGRU 3 EMBARKED USS AJAX (AR-6). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. SEVENTH FLEET, VARIOUS UNITS OF THE JAPANESE MARITIME SELF-DEFENSE FORCE AND VARIOUS SMALL HARBOUR CRAFT.

H.M. Flick, Jr.
H.M. FLICK, JR, LTJG, USN

04-08 MOORED AS BEFORE. 0725 SET SPECIAL SEA AND ANCHOR DETAIL.

H.M. Flick, Jr.
H.M. FLICK, JR, LTJG, USN

08-12. 0752 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE ENROUTE FROM YOKOSUKA, JAPAN TO SASEBO JAPAN. ENGINEERING PLANT IS SPLIT WITH 1B AND 2B BOILERS, 1B, 2A, AND 2B GENERATORS ARE ON THE LINE. COMMENCED MANEUVERING TO CLEAR YOKOSUKA HARBOR INTO TOKYO BAY AND URAGA CHANNEL 0831 SECURED SPECIAL SEA AND ANCHOR DETAIL COURSE 157° SPEED 25 KTS. 0833 C/C 178° 0837 C/C 165° 0839 C/C 175° C/C 180° C/C 185° 0841 C/C 196° 0843 C/C 207° 0845 C/C 203° 0851 C/C 220° 0853 C/C 225 0858 C/C 274° 0901 C/S 20KTS 0910 C/S 15KTS C/S 10KTS 0912 C/S 5KTS COMMENCED ULM-4 RANGE EXERCISE 0940 SECURED FROM ULM-4 EXERCISE C/C 156° C/S 17KTS 0950 C/C 125° 0952 C/C 135 0955 C/C 145 0956 C/C 156° 1007 C/C 120° C/C 135 1012 C/C 145 1014 C/C 160° 1037 C/C 210° 1038 C/C 200° C/C 195 1040 C/C 180° 1041 C/C 155 1050 C/C 119 1114 1A GENERATOR ON THE THE LINE.

M.F. Maas
M.F. MAAS, LTJG, USNR

12-16 UNDERWAY AS BEFORE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO ENTER AREA CHARLIE FOR AA TRACKING DRILLS. 1255 SET GENERAL QUARTERS TO CONDUCT

EXAMINED

H.M. Flick, Jr.
H.M. FLICK, JR, LTJG, USN

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24DATE TUESDAY 2 SEPTEMBER 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

(12-16 CONT)

SIMULATED AA FIRING MISSIONS AND DAMAGE CONTROL DRILLS
SET MATERIAL CONDITION OF READINESS, ZEBRA THROUGHOUT THE
SHIP. 1417 SECURED FROM GENERAL QUARTERS, SET MATERIAL
CONDITION OF READINESS YOKE. CONTINUED MANEUVERING AT
VARIOUS COURSES AND SPEEDS TO CONDUCT AA TRACKING. 1545
SECURED FROM AA TRACKING DRILLS. 1545 C/C TO 255° 1558
C/C 257°T.

P.R. O'Harrow
P.R. O'HARROW, LT, USN

16-18 UNDERWAY AS BEFORE. 1638 C/C 252°T. 1651 C/C 258°T
1712 C/C 248°T 1728 C/C 240°T.

William H Gaik
WILLIAM H GAIK, LTJG, USNR

18-20 UNDERWAY AS BEFORE. 1808 SIGHTED MIYAKE JIMA
LIGHT ABEAM TO STBD, BEARING 312.5°T, DISTANCE 17.7 MILES.
1815 PASSED MIYAKE JIMA LIGHT ABEAM TO STBD, DISTANCE
6.6 MILES. 1851 C/C TO 260°T. 1902 C/C TO 280°T. 1910 C/C TO
259°T, C/S TO 18 KTS.

Jack E. Helmann
JACK E HELMAN, LT, USN

20-24 UNDERWAY AS BEFORE. 2033 C/C 247. 2155 - 1A, 1B, 2B, 2A
BOILERS ON THE LINE 2202 C/S 22 KTS. 2217 C/S 25 KTS
2225 C/S 27 KTS. 2232 C/S 28 KTS. 2247 C/S 29 KTS. 2255 C/S 30 KTS.
2304 C/S 24 KTS. 2306 C/S 20 KTS. 2310 C/S 18 KTS. 2312 C/S 15 KTS.
2327 C/S 18 KTS.

Donald F. Zimmer
DONALD F. ZIMMER, LTJG, USNR

EXAMINED:

Haye [Signature] LATE

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9 I DATE WEDNESDAY 3 SEPTEMBER 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO SASEBO, JAPAN

POSITION	ZONE	TIME
0800		
L <u>32°-17.5N</u>	BY <u>1</u>	
λ <u>134°-44.8E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>31°-57.5N</u>	BY <u>1</u>	
λ <u>133°-23.5E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
2000		
L <u>30°-58.0N</u>	BY <u>23</u>	
λ <u>130°-51.3E</u>	BY <u>23</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE COMSEVENTH FLEET QUARTERLY EMPLOYMENT SCHEDULE, STEAMING INDEPENDENTLY ENROUTE TO SASEBO, JAPAN ON BASE COURSE 247° AND BASE SPEED 18 KT. SOPA IS COMMANDING OFFICER THIS SHIP. ENGINEERING PLANT IS SPLIT WITH 1A, 2A, 1B, 2B BOILERS ON THE LINE AND THE ELECTRICAL LOAD IS SPLIT ON 1A, 2A, 1B, 2B SHIP'S SERVICE GENERATORS. SHIP IS COMPLETELY DARKENED WITH THE EXCEPTION OF NORMAL BRIGHT NAVIGATIONAL LIGHTS. MATERIAL CONDITION YOKO AND CONDITION OF READINESS IV ARE SET. 0017 C/S 25 KT. 0025 C/S 27 KT. 0037 C/S 28 KT. 0050 C/S 29 KT. 0105 C/S 30 KT. 0117 C/S 31 KT. 0146 C/S 32 KT. 0206 C/S 30 KT. 0213 C/S 24° 0222 C/S 25 KT. 0225 C/S 18 KT. 0242 C/S 247°.

W. Maas
MF MAAS LTJG USNR

04-08 UNDERWAY AS BEFORE. 0649 CONDUCTED STEERING CASUALTY DRILL. 0701 C/S TO 20 KNOTS. 0700 MUSTERED THE CREW ON STATION. NO ADDITIONAL ABSENTEES.

P.R. O'Harrow
P.R. OHARROW LT USN

08-12 UNDERWAY AS BEFORE. 0830 COMMENCED STEERING BY SINUOUS COURSE CLOCK USING CAM #2; BASE COURSE 247°. 0930 SECURED STEERING BY SINUOUS COURSE CLOCK; SET COURSE 247°.

William H. Galk
WILLIAM H. GALK
LTJG USNR

12-16 UNDERWAY AS BEFORE. 1230 C/C TO 243° T. 1435 ^{MANEUVERING} ~~MANEUVERING~~ ON VARIOUS COURSES AND SPEEDS WHILE CONDUCTING MAN OVERBOARD DRILLS. 1510 SECURED FROM MAN OVERBOARD DRILLS. C/C TO 243° T, C/S TO 20 KTS.

Jack E. Helmann
LT USN

16-18 UNDERWAY AS BEFORE. 1633 C/C 250° T 1654 C/C 260° T
1702 C/C 240° T 1716 C/C 243° T 1739 C/C 241° T

Ronald Zimmer
RZIMMER LTJG USNR

EXAMINED

Haye Ellis
HAYE ELLIS LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560


USS

WADDELL (DDG-24)


DATE

Wednesday 3 Sept 19 C9
(Day) (Date) (Month)

REMARKS—CONTINUED


18-20 UNDERWAY AS BEFORE. 1821 $\frac{9}{16}$ 245° 1827 $\frac{1}{2}$ 241°
H. M. FLICK, LTJG, USN

20-24 UNDERWAY AS BEFORE. 2037 C/C TO 283° 2112 C/C TO 345°
TO AVOID CONTACTS 2116 C/C TO 283° 2157 SET THE QUIET SHIP BILL
2207 COMMENCED SONAR NOISE LEVEL TESTS C/S TO 6 KNOTS 2235 C/S
TO 9 KNOTS 2250 C/S TO 12 KNOTS 2307 C/S TO 15 KNOTS* 2254 C/C TO 310°
2321 C/S TO 18 KNOTS. 2352 $\frac{9}{16}$ 21 KTS.


P. R. O'HARROW LT USN

* LATE ENTRY

EXAMINED:

 LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 (I) DATE THURSDAY 4 SEPTEMBER 19 69
 (Day) (Date) (Month)
 AT/PASSAGE FROM YOKOSUKA, JAPAN TO SASEBO, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE ENROUTE FROM YOKOSUKA, JAPAN TO SASEBO, JAPAN ON COURSE $310^{\circ}T$, 21 KNOTS, CONDITION OF READINESS II AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. THE SHIP IS OPERATING INDEPENDENTLY AS A UNIT OF TASK UNIT 71.5.2 WHILE ENROUTE RENDEZVOUS WITH TASK GROUP 71.5. SOPA AND OTC ARE COMMANDING OFFICER USS BON HOMME RICHARD (CVA-31) WHO IS ALSO CTG 71.0, CTG 77.5, CTG 71.5 AND CTU 71.5.1. CTU 71.5.2 IS COMMANDING OFFICER USS O'BANNON (DD-450). OTHER SHIPS IN THE TASK UNIT ARE USS WILTSIE (DD-716), USS JOHN W. TOMASON (DD-760) AND USS JOHN R. CRAIG (DD-885). 0014 $\frac{1}{2}$ 24 KTS. SIGHTED TSURIMAKE LIGHT BEARING $010^{\circ}T$, 21 MILES. 0036 $\frac{1}{2}$ 20 KTS, $\frac{1}{2}$ $000^{\circ}T$. 0255 SIGHTED KUBA SHIMA LIGHT BEARING $029^{\circ}T$, 29.5 MILES. 0312 $\frac{1}{2}$ $015^{\circ}T$. 0321 $\frac{1}{2}$ $030^{\circ}T$. 0330 $\frac{1}{2}$ $020^{\circ}T$. 0339 $\frac{1}{2}$ $355^{\circ}T$.

William H. Gaik
 WILLIAM H. GAIK
 LTJG USNR

04-08 UNDERWAY AS BEFORE. 0506 PASSED OSE LIGHT ABEAM TO STARBOARD, DISTANCE 3 MILES. 0539 COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE CONDUCTING ULM 4 RANGE, SASEBO, JAPAN. 0617 STATIONED THE NAVIGATIONAL DETAIL. 0645 STATIONED THE SPECIAL SEA DETAIL. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM TO SASEBO CHANNEL. 0738 MOORED PORTSIDE TO MOTOFUNE PIER NUMBER 2 WITH FIVE STANDARD MOORING LINES DOUBLED. SOPA IS COMINFLOT ONE IN USS CATSKILL (MCS-1). 0804 SECURED THE SPECIAL SEA AND NAVIGATIONAL DETAIL.

Jack E. Helmann
 LT USN

08-12 MOORED AS BEFORE. 0832 COMMENCED TAKING ON FUEL. 1000 SECURED FROM TAKING ON FUEL. 1034 SET SPECIAL SEA AND ANCHOR DETAIL TO SHIFT BERTHS. 1055 UNDERWAY TO MOVE TO INDIA ONE. 1129 MOORED PORT SIDE TO USS THOMASON (DD760) AT BERTH INDIA ONE OF SASEBO JAPAN, SIX STANDARD MOORING LINES DOUBLED. 1140 SECURED SPECIAL SEA AND ANCHOR DETAIL.

W. Schriever, LTJG, USN

12-16 MOORED AS BEFORE.

W. Schriever

W. H. SCHRIEVER, LTJG, USN

EXAMINED

Hayes Ellis 2 JIC

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Waddell (DDG-24)

DATE Thursday 4 Sept 19 69
(Day) (Date) (Month)

REMARKS-CONTINUED

16-20 MOORED AS BEFORE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

24-24 MOORED AS BEFORE

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

EXAMINED:

W. H. Schriever LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9 (I) DATE FRIDAY 5 SEPTEMBER 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM SASEBO, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
--

REMARKS

00-04 MOORED PORT SIDE TO USS THOMASON (DD 760) WITH SIX STANDARD MOORING LINES
DOUBLED. SOPA IS C.O. OF USS BONHOMME RICHARD. CONDITION OF READINESS IV AND MATERIAL
CONDITION YOKE ARE SET THROUGHOUT THE SHIP. 1B BOILER AND 1A, 2A, AND 2B GENERATORS
ARE ON LINE. OTHER SHIPS PRESENT INCLUDE MEMBERS OF CTU 71.5.2 AND JAPANESE
MERCHANT SHIPS.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

04-08 MOORED AS BEFORE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

08-12 MOORED AS BEFORE

M. A. Lilly

M. A. LILLY ENS USNR

12-16 MOORED AS BEFORE

M. A. Lilly

M. A. LILLY, LILLY ENS, USNR MAR

16-20 MOORED AS BEFORE

M. A. Lilly

M. A. LILLY ENS USNR

20-24 MOORED AS BEFORE

M. A. Lilly

M. A. LILLY, ENS USNR

EXAMINED

Hayes Ellis

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24

DATE - - - 19-
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 (I) DATE SATURDAY 6 SEPTEMBER 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM FLEET ACTIVITIES TO SASEBO JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~04-04~~ MOORED PORT SIDE TO USS THOMASON (DD 760) WITH SIX STANDARD MOORING LINES DOUBLED. SOPA IS CO OF USS BON HOMME RICHARD. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. 1 B BOILER AND 1A, 1B AND 2B BOILERS. ARE ON THE LINE

M. A. Lilly
M. A. LILLY ENS USNR

~~04-08~~ MOORED AS BEFORE.

M. A. Lilly
M. A. LILLY, ENS, USNR

~~08-12~~ MOORED AS BEFORE.

R. S. Evans
R. S. EVANS, LTJG, USN

~~12-16~~ MOORED AS BEFORE.

R. S. Evans
R. S. EVANS, LTJG, USN

~~16-20~~ MOORED AS BEFORE.

R. S. Evans
R. S. EVANS, LTJG, USN

~~20-24~~ MOORED AS BEFORE.

R. S. Evans
R. S. EVANS, LTJG, USN

EXAMINED

Hayes Ellis

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE SUNDAY 7 SEPTEMBER 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM FLEET ACTIVITIES, SASEBO TO JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>32°-29.8</u>	BY <u>2.3</u>	
λ <u>129°-27.3</u>	BY <u>2.3</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-04~~ MOORED ALONGSIDE THE USS THOMASON (DD-760), OUTBOARD AT BERTH INDIA ONE, FLEET ACTIVITIES, SASEBO, JAPAN, WITH SIX STANDARD MOORING LINES. 1B BOILER AND 1A, 1B, AND 2B GENERATORS ARE ON THE LINE. SOPA IS C.O. USS BON HOMME RICHARD (CVA-34) EMBARKED THAT SHIP. CONDITION OF READINESS IV AND MATERIAL CONDITION VOKE ARE SET THROUGHOUT THE SHIP. SHIPS PRESENT INCLUDE THE THOMASON, BON HOMME RICHARD, MEMBERS OF THE U.S. PACIFIC FLEET, VARIOUS YARD AND DISTRICT CRAFT, AND MERCHANTMEN FROM MANY NATIONS.

R.S. Evans

R.S. EVANS, LTJG, USN

~~04-08-12~~ MOORED AS BEFORE.

R.S. Evans

R.S. EVANS, LTJG, USN

08-12 MOORED AS BEFORE. 0730 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

R.L. Crowell

R.L. CROWELL LTJG USNR

12-16 MOORED AS BEFORE. 1339 HIT FIRES UNDER 2A BOILER.

R.L. Crowell

R.L. CROWELL LTJG USNR

16-18 MOORED AS BEFORE. 1632 SET THE SPECIAL SEA AND ANCHOR DETAIL. MADE ALL PREPARATIONS FOR LEAVING PORT. 1641 CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. CAPTAIN WITH CONN. 1654 UNDERWAY FOR SUBMARINE OPS EAST OF VAN DUEMAN STRAITS. MANEUVERING ON VARIOUS COURSES AND AT VARIOUS SPEEDS WHILE DEPARTING SASEBO HARBOR ENTRANCE. 1705 LT HELMAN TOOK THE CONN. 1733 ON COURSE 277°T. SPEED 5 KTS. 1738 S/S TO 10 KTS. 1742 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

R.L. Crowell

R.L. CROWELL LTJG USNR

EXAMINED

Haye W. WTC

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE SUNDAY 7 SEPT, 1969
(Day) (Date) (Month)

REMARKS-CONTINUED

18-20 1746 C/S 18KTS 1755 C/C 213°T 1820 C/C 180°T

Donald Zimmer
DE ZIMMER LTJG USNR20-24 UNDERWAY AS BEFORE. 1957 1/2 16 KT. 2022 1/2 185°. 2036
C/C 180°. 2219 "1B" BOILER BROUGHT ON THE LINE. 2258 "2B" BOILER
BROUGHT ON THE LINE. C/S 25 KT. 2315 1/2 27 KT. 2327 1/2 130°. 2337
1/2 28 KT.*M. Maas*
MF MAAS LTJG USNR

EXAMINED:

Hayne Ellis LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9(I) DATE MONDAY 8 SEPTEMBER 19 69
 (Day) (Date) (Month)
 AT/PASSAGE FROM SASEBO, JAPAN TO SUBMARINE OPERATING AREA

POSITION	ZONE	TIME
0800		
L <u>30°-57.2N</u> BY <u>32</u>		
λ <u>132°-00.2E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>31°-23.0N</u> BY <u>2</u>		
λ <u>132°-35.6E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>30°-59.3N</u> BY <u>2</u>		
λ <u>131°-39.0E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT
 QUARTERLY EMPLOYMENT SCHEDULE ENROUTE FROM SASEBO,
 JAPAN TO SUBMARINE OPERATING AREA L 30°54'N, λ 132°15'E.
 CONDITION OF READINESS III AND MATERIAL CONDITION YOKE
 ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED
 WITH THE EXCEPTION OF BRIGHT NAVIGATIONAL LIGHTS. THE
 SHIP IS OPERATING INDEPENDENTLY AS A UNIT OF TASK
 GROUP 71.5. SOPA AND OTC ARE COMMANDING OFFICER
 USS BON HOMME RICHARD (CVA-31) WHO IS ALSO CTG 71.0.
 CTG 77.5, CTG 71.5, AND CTU 71.5.1. CTU 71.5.2 IS
 COMMANDING OFFICER USS O'BANNON (DD-450). OTHER SHIPS
 IN THE TASK UNIT ARE USS WILTSIE (DD-716), USS JOHN W.
 THOMASON (DD-760) AND USS JOHN R CRAIG (DD-885). 0100
 COMMENCED FULL POWER RUN MANEUVERING AT incremental
 speeds coming to 32 KTS AS TEST SPEED. 0110 PASSED
 BONO MIKAKI LIGHT ABEAM TO PORT, DISTANCE 8 MILES. 0125 SIGHTED
 SATA MISAKI LIGHT OFF PORT BOW, DISTANCE 19 MILES. 0200
 PASSED SATA MISAKI LIGHT ABEAM TO PORT DISTANCE 7.5 MILES.
 0207 C/C 067°. 0244 C/C 087°. 0256 C/C 077° C/S 10 KTS C/C 067°
 0300 COMMENCED SWITCHING STEERING CONTROL TO AFTER STEERING
 0308 RETURNED STEERING CONTROL TO THE BRIDGE PORT/CABLE,
 PORT ENGINE. 0340 C/C 087°.

Robert L. Crowell
 ROBERT L. CROWELL, LTJG, USNR

04-08 UNDERWAY AS BEFORE. 0532 C/S 10 KTS, C/C 090°T. 0700 MUSTERED
 THE CREW ON STATION. NO ADDITIONAL ABSENTEES.

William H. Galk
 WILLIAM H. GALK
 LTJG USNR

08-12 UNDERWAY AS BEFORE. 0913 C/C TO 070°T, C/S TO 17 KTS.
 0922 C/C TO 073°T. 0926 COMMENCED MANEUVERING ON VARIOUS
 COURSES AND SPEEDS WHILE CONDUCTING ASW OPERATIONS WITH THE
 USS MEDRAGEAL (AGS-480). B/C 030°T, B/S 5 KTS.

Jack E. Helmann
 LT USN

EXAMINED

Haye Ellis LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE MONDAY 8 SEPT, 1969
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 Underway as before at condition 1A5 steering various
courses at various speeds

Hayne Ellis
LTJG USN

16-18 UNDERWAY AS BEFORE AT CONDITION 1A5.

Donald Zimmer
DFZIMMER LTJG USNR

18-20: UNDERWAY AS BEFORE 1805 \angle 270° 1811 SECURED ALSO
EXERCISES 1812 \angle 25KT 1920 \angle 260°

Donald Zimmer
DFZIMMER LTJG USNR

20-24 UNDERWAY AS BEFORE 2054 \angle 246° 2130 \angle 20KT. 2139
 \angle 25KT. 2159 \angle 283° 2258 \angle 23KT. 2338 \angle 310°

M. F. Maas
M.F. MAAS, LTJG, USNR

EXAMINED:

Hayne Ellis
LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE TUESDAY 9 SEPTEMBER 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM SUBMARINE OPERATING AREA TO SASEBO, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>33°-65.8N</u>	BY <u>3</u>	
λ <u>129°-39.4E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>36°-44.3N</u>	BY <u>2</u>	
λ <u>129°-00.0E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE ENROUTE FROM SUBMARINE OPERATING AREA L 30°54N, λ 132°15E. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATIONAL LIGHTS. THE SHIP IS OPERATING INDEPENDENTLY AS A UNIT OF TASK GROUP 71.5. SOPA AND OTC ARE COMMANDING OFFICER USS BON HOMME RICHARD (CUA-31) WHO IS ALSO CTG 71.0, CTG 77.5, CTG 71.5 AND CTU 71.5.1. CTU 71.5.2 IS COMMANDING OFFICER USS O'BANNON (DD-450). OTHER SHIPS IN THE TASK UNIT ARE USS WILTSIE (DD-716), USS JOHN W THOMASON (DD760) AND USS JOHN R CRAIG (DD885). 0820 SIGHTED TSURIKAKE SAKI LIGHT BEARING 350.2°T, DISTANCE 25.6 MILES. PASSED KUSAGAKI KAMINO LIGHT ABEAM TO PORT DISTANCE 25.85 MILES. 0845 MAIN CONTROL COMMENCED HOLDING CASUALTY CONTROL DRILLS. 0944 PASSED TSURIKAKE SAKI LIGHT ABEAM TO STBD, DISTANCE 12.5 MILES. 0230 C/C 006° 0257 CONDUCTED AFTER STEERING CONTROL DRILLS. 0311 C/S 20KTS.

P.R. OHARROW

P.R. OHARROW LT USN

0908-08 UNDERWAY AS BEFORE. 0435 SIGHTED MIE SAKI LIGHT BEARING 050°T, DISTANCE 14 MILES. 0440 C/C 020°T 0450 C/C 000°T 0457 C/C 352°T 0510 C/S 15 KTS 0512 C/C 000°T 0526 C/C 358°T 0534 C/C 354°T 0545 C/C 028°T 0546 PASSED MIKOTA SHIMA TFW LIGHT ABEAM TO STARBOARD 0555 C/C 028°T C/S 5 KTS 0556 C/C 000°T C/S 20 KTS, C/S 5 KTS. 0558 C/C 015°T. 0626 C/C 100°T. 0654 C/C 101°T 0653 C/C 102°T. PASSED SHIRA SE LIGHT ABEAM TO STARBOARD, DISTANCE 2000 YDS. SET THE SPECIAL SEA AND ANCHOR DETAIL. 0655 C/C 104°T 0657 C/C 105°T 0704 C/C 032°T, C/C 055°T. 0707 C/C 078°T 0720 C/C 353°T 0723 C/C 351°T 0724 C/C 349°T. 0726 C/S 7 KTS, C/C 350°T 0727 C/C 351°T 0728 C/C 352°T. 0729 C/C 353°T, C/C 354°T 0730 C/C 356°T 0731 STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE MOORING AT MOTOFUNE REFUELING PIER NO. 2, SASEBO, JAPAN. 0739 MOORED PORT SIDE TO MOTOFUNE REFUELING PIER #2, SASEBO, JAPAN WITH SIX STANDARD DESTROYER MOORING LINES DOUBLED. SOPA IS COMINEFLT.

William H. Galk

WILLIAM H. GALK

LTJG USNR

0812 MOORED AS BEFORE. 1045 SET SPECIAL SEA AND ANCHOR DETAIL. 1121 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO EXIT HARBOR.

EXAMINED

H.M. FLICK, JR.

H.M. FLICK, JR., LTJG, USN

H.M. FLICK, JR.

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Waddell (DDG-24)DATE Tuesday 9 Sep 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE. 1210 C/S TO 10 KTS 1211 SECURED
THE SPECIAL SEA AND ANCHOR DETAIL. 1212 C/S TO 20 KTS. 1224 C/S TO
275°T, C/S TO 25 KTS. 1250 C/S TO 320°T. 1256 C/S TO 316°T.
1258 C/S TO 320°T. 1307 C/S TO 010°T. 1308 C/S TO 000°T.
1327 C/S TO 019°T. 1338 C/S TO 10 KNOTS. 1349 C/S TO 183°T.
1541 C/S TO 000°T. 1547 C/S TO 080°T, C/S TO 15 KNOTS.

Jack Helmann
LT USN

16-18 UNDERWAY AS BEFORE. 1602 C/S 084°T 1621 C/S 081°T C/S 084°T
1627 C/S 20 KTS 1643 C/S 091°T 1645 SET THE SPECIAL SEA AND ANCHOR
DETAIL 1649 C/S 10 KTS 1650 C/S 5 KTS 1651 C/S 271°T. MANEUVERING AT
VARIOUS COURSES AND SPEEDS TO MOOR AT BERTH 7, INDIA BASIN, SASEBO.

H.M. Flick, Jr.
H.M. FLICK, JR., LTJG, USN

18-20 UNDERWAY AS BEFORE. 1802 MOORED STARBOARD SIDE TO
BERTH 7, INDIA BASIN, SASEBO, JAPAN WITH 6 STANDARD MOORING LINES
DOUBLED. WILL RECEIVE VARIOUS SERVICES FROM THE PIER 1824
SECURED SPECIAL SEA AND ANCHOR DETAIL.

H.M. Flick, Jr.
H.M. FLICK, JR., LTJG, USN

20-24 MOORED AS BEFORE.

H.M. Flick, Jr.
H.M. FLICK, JR., LTJG, USN

EXAMINED:

Haye Ellis
2 JIC

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE WEDNESDAY 10 SEPTEMBER 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM SASEBO, JAPAN TO

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 MOORED STARBOARD SIDE TO BERTH 7, INDIA BASIN, SASEBO, JAPAN WITH SIX STANDARD MOORING LINES DOUBLED. ENGINEERING PLANT IS STEAMING IN AN AUXILIARIES STATUS WITH "2B" BOILER ON THE LINE AND "1A", "1B", AND "2A" SHIPS SERVICE GENERATORS ON THE LINE. RECEIVING VARIOUS SERVICES FROM THE PIER. SOPA IS COMMANDING OFFICER USS BON HOMME RICHARD (CVA-31). MATERIAL CONDITION YOKE AND CONDITION OF READINESS II ARE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US SEVENTH FLEET, UNITS OF THE JAPANESE MARITIME DEFENSE FORCE, AND VARIOUS SMALL HARBOR CRAFT.

H.M. Flick
H.M. FLICK, JR, LTJG, USN

04-08 MOORED AS BEFORE.

H.M. Flick
H.M. FLICK, JR, LTJG, USN

08-12 MOORED AS BEFORE.

Donald Zimmer
DFZIMMER LTJG USNR

12-16. MOORED AS BEFORE.

Donald Zimmer
DFZIMMER LTJG USNR

16-20. MOORED AS BEFORE

Donald Zimmer
DFZIMMER LTJG USNR

20-24 MOORED AS BEFORE.

Donald Zimmer
DFZIMMER LTJG USNR

EXAMINED

Haye Ellis LTJG U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE THURSDAY 11 SEPT 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM SASEBO, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 MOORED STARBOARD SIDE TO BERTH 7, INDIA BASIN, SASEBO, JAPAN WITH SIX STANDARD MOORING LINES DOUBLED. ENGINEERING PLANT 15 STEAMING IN AN AUXILIARY STATES WITH 2B BOILER AND 1A, 1B, AND 2A SHIP SERVICE GENERATORS ON THE LINE. RECEIVING TELEPHONE SERVICES AND FRESH WATER FROM THE PIER. SOPA IS COMMANDING OFFICER OF USS BEN HOMME RICHARD (CVA-31). MATERIAL CONDITION YOKO AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. SEVENTH FLEET, UNITS OF THE JAPANESE MARITIME SELF DEFENSE FORCE AND VARIOUS SMALL HARBOR CRAFT.

Donald Zimmer
DF ZIMMER LTJG USNR

Φ4-Φ8 MOORED AS BEFORE.

Donald Zimmer
DF ZIMMER LTJG USNR

08-12 MOORED AS BEFORE.

J. H. Meyer
J. H. MEYER LTJG, SC, USNR

12-16 MOORED AS BEFORE.

J. H. Meyer
J. H. MEYER LTJG, SC, USNR

16-20 MOORED AS BEFORE.

J. H. Meyer
J. H. MEYER, LTJG, SC, USNR

20-24 MOORED AS BEFORE.

J. H. Meyer
J. H. MEYER, LTJG, SC, USNR

EXAMINED

Hege E. Wise

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE FRIDAY 12 SEPTEMBER 69
 (Day) (Date) (Month)
 AT/PASSAGE FROM SASEBO, JAPAN TO INDIA-7 PIER

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

08-04 MOORED STARBOARD SIDE TO BERTH 2, INDIA BASIN, SASEBO, JAPAN WITH SIX STANDARD MOORING LINES DOUBLED. THE SHIP'S ENGINEERING PLANT IS STEAMING IN AN AUXILIARY STATUS WITH VARIOUS SERVICES BEING RECEIVED FROM THE PIER. SOPA IS COMMANDING OFFICER USS DON HAMME RICHARD (CVA-31). MATERIAL CONDITION YOKO AND CONDITION OF READINESS IV ARE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. SEVENTH FLEET, UNITS OF THE JAPANESE MARITIME DEFENSE FORCE, AND VARIOUS SMALL HARBOR CRAFT.

J. H. Meyer
 J. H. MEYER
 LTJG, SC, USNR

08-12 MOORED AS BEFORE.

William C. Green Jr.
 WILLIAM C. GREEN JR, ENS, USNR

12-16 MOORED AS BEFORE

William C. Green Jr.
 WILLIAM C. GREEN JR, ENS USNR

16-20 MOORED AS BEFORE

William C. Green Jr.
 WILLIAM C. GREEN JR, ENS, USNR

20-24 MOORED AS BEFORE

William C. Green Jr.
 WILLIAM C. GREEN JR, ENS USNR

EXAMINED

Hayne Ellis 2100 U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FSN 0105-904-1020

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE SATURDAY 13 SEPTEMBER 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>31°-44.3'N</u>	BY <u>2</u>	
λ <u>129°-00.0'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 MOORED STARBOARD SIDE TO BERTH 7, INDIA BASIN, SASEBO JAPAN, WITH SIX STANDARD MOORING LINES DOUBLED. USS THOMASON (DD-761) IS TIED ON OUR PORT SIDE, STARBOARD SIDE TO WITH STANDARD MOORING LINES. ENGINEERING PLANT IS IN AN AUXILIARY STATUS WITH "2 B" BOILER AND "2A" AND "2B" SHIPS SERVICE GENERATORS ON THE LINE. SOPA IS CO OKLAHOMA CITY (CA-5). RECEIVING VARIOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOE AND CONDITION OF READINESS IF ARE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US SEVENTH FLEET, UNITS OF THE JAPANESE MARITIME SELF-DEFENSE FORCE, AND VARIOUS SMALL HARBOR CRAFT.

H.M. Flick, Jr.
H. M. FLICK, JR., LTJG, USN

04-08 MOORED AS BEFORE.

H.M. Flick, Jr.
H. M. FLICK, JR., LTJG, USN

08-12 MOORED AS BEFORE. 0842 Singled up all lines. 0855 Underway in accordance with CONSEQUENTIAL QUARTERLY EMPLOYMENT SCHEDULE. MANEUVERING AT VARIOUS COURSES AND SPEEDS MAKING APPROACHES ON Fuel Pten Motofune #1.

Hayes Ellis LTJG

12-16 UNDERWAY AS BEFORE, MANEUVERING AT VARIOUS COURSES AND SPEEDS FOR PIER APPROACH DRILLS. 1217 COMMENCED MANEUVERING OUT OF SASEBO HARBOR. 1253 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1301 °/c 215°. 1315 °/c 213°. 1327 °/c 15KT. 1337 °/c 15KT. 1339 °/c 12KT. 1345 °/c 9KT. 1400 °/c 195°. ASSUMED GUIDE OF THREE SHIP COLUMN WITH USS THOMASON (DD761) 500 YDS. ASTERN AND USS O'BANNON (DD450) 500 YDS ASTERN THOMASON. 1433 °/c 020°. 1442 °/c 015°. 1504 °/c 20KT. 1505 °/c 045°. MANEUVERING AT VARIOUS COURSES AND SPEEDS

EXAMINED

Hayes Ellis LTJG

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Whale (DDG 24)DATE Saturday 13 Sept. 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

TO TAKE AND MAINTAIN STATION 3500 YDS AT A BEARING OF 225° FROM USS BONHOMME RICHARD (CVA-31). BASE COURSE 198°. BASE SPEED 15 KT. 1545 Y/S 25 KT. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO TAKE STATION 4000 YDS ASTERN BONHOMME RICHARD.

Heyle Ellis^{US}
LTC, USN

16-18 UNDERWAY AS BEFORE. 1559 ON STATION GUIDE BEARS 198° 4000 YD. COMMENCED STEERING VARIOUS COURSES AND ADJUSTING SPEED TO MAINTAIN STATION. BASE COURSE 198°. SPEED 15 KT.

P.R. O'Harrow
P.R. O'HARROW, LT, USN

18-20 UNDERWAY AS BEFORE. 1914 Y/S BASE SPEED 20 KT.

Heyle Ellis^{US}
WILLIAM H. GAIK, LTJG, USN

20-24 UNDERWAY AS BEFORE. 2207 Y/C TO 230°. 2227 Y/C TO 198°. 2250 Y/C TO 190°

Heyle Ellis^{US}
JACK E. HELMANN, CT, USN

EXAMINED:

Heyle Ellis^{US}
U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

185-100
145

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 (I) DATE SUNDAY 14 SEPTEMBER 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

POSITION	ZONE	TIME
0800		
L <u>28°55.5'N</u> BY <u>2</u>		
λ <u>128°06.0'W</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>29°00.7'N</u> BY <u>2</u>		
λ <u>128°07.2'W</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>27°52.8'N</u> BY <u>2</u>		
λ <u>128°34.2'W</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE, STEAMING IN COMPANY WITH USS BON HOMME RICHARD (CVA 31) AND USS O'BANNON (DD-450). OTC AND SOPA B CTG 71.5 EMBARKED ON USS BON HOMME RICHARD. SCREEN COMMANDER IS THE COMMANDING OFFICER USS O'BANNON. THE SCREEN IS IN PLANE GUARD STATIONS WITH THE O'BANNON IN STATION B-1 2,000 YARDS ASTERN BON HOMME RICHARD AND WITH THIS SHIP IN STATION B-2 4,000 YARDS ASTERN BON HOMME RICHARD. BASE COURSE IS 198°T, BASE SPEED IS 20 KNOTS. THE ENGINEERING PLANT IS SPLIT WITH 1B AND 2A BOILERS ON THE LINE AND 1A, 1B, 2A, 2B SHIP SERVICE GENERATORS ON THE LINE. THE SHIP IS COMPLETELY DARKENED WITH THE EXCEPTION OF NORMAL BRIGHT NAVIGATIONAL LIGHTS. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKO ARE SET THROUGHOUT THE SHIP. MANUEVERING VARIOUS COURSES AND SPEEDS WHILE MAINTAINING STATION ON THE GUIDE. 0034 CHANGED BASE COURSE TO 198°T 198°T

Donald Zimmer
DFZIMMER LTJG USNR

04-08 UNDERWAY AS BEFORE, MANUEVERING VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION 4000 YARDS ASTERN USS BON HOMME RICHARD (CVA-31). BASE COURSE 198° SPEED 20 KTS. 0428 1/2 12 KTS 0537 1/2 110° 0543 EXERCISING INDEPENDENTLY WITHIN VISUAL SIGNAL RANGE 0554 1/2 110° 0605 1/2 12 KTS 0624 1/2 150° 0634 1/2 140° 0637 1/2 8 KTS 0640 1/2 180° 0643 1/2 230° 0650 1/2 25 KTS 0651 1/2 085° 0652 1/2 090° 0653 1/2 100° 0654 1/2 105° 0655 1/2 115° 0659 1/2 153° 0717 1/2 10 KTS 0720 1/2 25 KTS 0730 1/2 321 0738 1/2 340°

Maas
LTJG USNR

08-12 UNDERWAY AS BEFORE. EXERCISING INDEPENDENTLY WITHIN VISUAL SIGNAL RANGE OF USS BON HOMME RICHARD (CVA-31)
0802 C/C 015 0821 C/C 335 0837 C/C 350 0904 C/C 340 0907 C/C 345
0916 C/C 155 1016 C/C 210 1021 C/C 200 1024 C/C 190 1025 C/C 180 1027 C/C 120
1028 C/C 100 1031 C/C 095 1033 C/C 330 1111 C/C 055 1115 C/C 026
1116 C/C 330 1117 C/C 345 1123 C/C 335 1127 C/C 310 1130 C/C 240
1131 C/C 205 1147 C/C 180 1148 C/C 187 1153 C/C 180

P. R. O'Harrow
P. R. O'HARROW LT, USN

EXAMINED

Haye Ellis
Haye Ellis LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE SUNDAY 14 SEPTEMBER, 1969
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 UNDERWAY AS BEFORE MANEUVERING ON VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION 5 MILES ON USS BON HOMME RICHARD'S STARBOARD BEAM. BASE COURSE 165°T, SPEED 12 KTS. 1520 9/180°T

William H. Gair
WILLIAM H. GAIR
LTJG USNR

16-18 UNDERWAY AS BEFORE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION 5 MILES ON USS BON HOMME RICHARD'S STARBOARD BEAM. 1630 PROCEEDING TO TAKE STATION 3000 YARDS AHEAD OF THE GUIDE. GUIDE IS USS BON HOMME RICHARD. 1649 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION 3000 YARDS AHEAD OF USS BON HOMME RICHARD. BASE COURSE 180°T BASE SPEED 12 KTS.

Jack E. Telman
LT USN

18-20 UNDERWAY AS BEFORE. 1829 MANEUVERING TO TAKE STATION B-3 6000 yards astern the guide. Guide is USS BON HOMME RICHARD. 1850 ON STATION, COLUMN FORMATION, MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION B-3 6000 yards astern the guide. Base course 144°, BASE SPEED 14 KTS.

Donald F. Zimmer
DEZIMMER LTJG USNR

20-24 UNDERWAY AS BEFORE. 1957 9/170°. 2029 9/140° BASE COURSE.

Hayne Ellis
LTJG USNR

EXAMINED:

Hayne Ellis
LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE MONDAY 15 SEPTEMBER 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM SASEBO, JAPAN TO BUCKNER BAY, OKINAWA RYUKYU IS.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>26°-15'N</u>	BY <u>3</u>	
λ <u>127°-54.8'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>25°-17.8'N</u>	BY <u>2</u>	
λ <u>127°-41.3'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-08 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE FISCAL YEAR 1970. ~~STEAM~~ STEAMING IN A ~~ARC~~ CIRCULAR SCREEN FORMATION 5 STATIONS ON CIRCLE 3.5. USS BON HOMME RICHARD (CVA-31) IS GUIDE IN STATION 22. SHIPS OF THE SCREEN ARE STATION 1 VACANT, STATION 2 THIS SHIP, STATION 3 USS WILTSIE (DD-716), STATION 4 USS O'BANNON (DD-450), STATION 5 USS J.W. THOMASON (DD-760). SOPA AND OTC IS COMMANDING OFFICER, USS BON HOMME RICHARD (CVA-31) (CTG 71.5, CTU 71.5.1) THIS SHIP PART OF TU 71.5.2. CTU 71.5.2 COMMANDING OFFICER USS O'BANNON. ACTING AS SCREEN COMMANDER. BASE COURSE 165° SPEED 14 KNOTS. CONDITION OF READINESS VI AND MATERIAL CONDITION YOKE ARE SET. THE SHIP IS DARKENED WITH EXCEPTION OF STANDARD NAVIGATION LIGHTS ON BRIGHT 0839 USS O'BANNON (DD-450) AND USS J.W. THOMASON (DD-760) DETACHED FROM FORMATION TO PROCEED ON DUTIES ASSIGNED. COMMANDING OFFICER THIS SHIP ASSUMED SCREEN COMMANDER (CTU 71.5.2) C/C TO 227° 0842 FORMED BENTLINE SCREEN 3C2. WHEN ON STATION GUIDE WILL BEAR 106°T RANGE 3700 YARDS. PROCEEDING TO STATION 1. USS WILTSIE WILL BE IN STATION 2. 08138 C/C TO 180° 0804 C/C 240° 0857 270° 0830 C/C TO 245° USS CRAIG (DD-885) IDENTIFIED AND IS JOINING FORMATION CTU 71.5.2 ASSUMED TACTICAL COMMAND.

R. P. O'HARROW
P.R. O'HARROW LT USN

04-08 UNDERWAY AS BEFORE. C/C 170°T STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO MAINTAIN STATION. 0416 C/S 20 KTS. 0416 74W C/S 14 KTS 0428 C/C 190°T. 0432 C/C 205°T 0442 C/C 230°T 0445 C/C 240°T 0450 C/S 13 KTS 0454 C/S 12 KTS 0501 C/C 213°T 0506 C/S 18 KTS. 0508 C/C 203°T 0513 C/S 17 KTS. 0514 C/C 235°T 0530 C/C 240°T 0544 C/S 18 KTS. 0557 C/S 22 KTS. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO TAKE STATION BEARING 055°T. 2000 YDS FROM THE USS B.H. RICHARD (CVA 31) 0602 C/C 148°T 0605 C/S 12 KTS. 0606 C/C 225°T. 0610 C/S 14 KTS. 0617 C/S 15 KTS

Hayes Ellis LTJG USN
R. P. O'HARROW, LTJG USN

04-08 CONT. Underway as before. 0640 Set the Special Sec and Anchor Detail. Steaming various courses and speeds while entering Okinawa Harbor 0734 Made port side to refueling area Buckner Bay Okinawa 0746. Secured the Special Sec and Anchor Detail.

Hayes Ellis LTJG USN

EXAMINED

Hayes Ellis

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE MONDAY 15 SEPT. 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

08-12 MOORED AS BEFORE.

Lewis K. Athow

LEWIS K. ATHOW, ENS, USN

12-16 1128 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE. MANUEVERING AT VARIOUS COURSES AND SPEEDS WHILE PROCEEDING OUT OF BUCKNER BAY, OKINAWA. 1205 COMMANDING OFFICER THIS SHIP ASSUMED CTG 71.6.2 1303 TOOK STATION 1PG ON USS ORISKANY (CVA 34) 170°R, 2000 yds. BASE COURSE IS 100°T BASE SPEED IS 12 KTS. 1320 CHANGED BASE COURSE TO 200°T. MANUEVERING AT VARIOUS COURSES AND SPEEDS WHILE MAINTAINING STATION. 1555 C/C 120°T - NEW BASE COURSE.

Jack E. Thelmann
LT USN

16-18 UNDERWAY AS BEFORE. 1617 SET THE PLANE GUARD DETAIL. 1622 NEW BASE COURSE 175°T. BASE SPEED 12 KTS. 1642 CARRIER IS ALONGSIDE AO THIS SHIP IS IN LIFE GUARD STATION 1000 YDS ASTERN. SCREEN SHIPS ARE IN A 3C4 WITH RUPERTUS IN STA 1, MASON IN STA 2, PERKINS IN STA 3, AND BUCK IN STA 4.

Donald Zimmer
DEZIMMER LTJG USNR

18-20 UNDERWAY AS BEFORE 1838 USS ORISKANY SECURED FROM REFUELING. SCREEN REORIENTED TO 2C4 WITH STATION ASSIGNMENT AS FOLLOWS, STA 1: USS BUCK, STA 2 USS PERKINS, STA 3 USS MASON, STA 4 USS RUPERTUS. THIS SHIP IS IN STATION 1PG, 170° RELATIVE, 2000 YARDS FROM THE GUIDE. THE ORISKANY IS NOW THE GUIDE 1855 BASE COURSE CHANGE TO 305°.

M. F. MARS
M F MARS LTJG USNR

20-24 UNDERWAY AS BEFORE MANUEVERING ON VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION 170°R FROM GUIDE RANGE 2000 YARDS. 2019 CHANGE BASE COURSE TO 330° 2038 CHANGE BASE COURSE TO 305° 2210 CHANGE BASE COURSE TO 250° 2231 CHANGE BASE COURSE TO 305° 2301 CHANGE BASE COURSE TO 307° BASE SPEED TO 15 KNOTS

P. R. O'Harrow
P. R. O'HARROW LT USN

EXAMINED:

Heide W. S. Loe

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE TUESDAY 16 SEPTEMBER 19 69
 (Day) (Date) (Month)
 AT/PASSAGE FROM BUCKNER BAY, OKINAWA TO SASEBO, JAPAN

POSITION	ZONE	TIME
0800		
L <u>27°16.0N</u>	BY <u>1,2</u>	
λ <u>126°33.5E</u>	BY <u>1,2</u>	

POSITION	ZONE	TIME
1200		
L <u>27°29.9N</u>	BY <u>1,2</u>	
λ <u>126°51.3E</u>	BY <u>1,2</u>	

POSITION	ZONE	TIME
2000		
L <u>27°24.9N</u>	BY <u>1,2</u>	
λ <u>127°29.5E</u>	BY <u>1,2</u>	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

04-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY OP SCHEDULE. STEAMING IN A 2CY SCREEN ON CIRCE 4.5 WITH THE USS CRISKANY (CVA-34) AS GUIDE IN STATION 22, THE USS BUCK (DD-761) IN STATION ONE, THE USS PERKINS (DD-877) IN STATION TWO, THE USS L.F. MASON (DD-852) IN STATION THREE, THE USS RUPERTUS (DD-851) IN STATION FOUR, AND THIS SHIP IN STATION 1P6 WITH GUIDE BEARING 350° RELATIVE, RANGE 2,000 YDS. SOPA AND OTC IS CTG 71.6. SCREEN COMMANDER IS THE COMMANDING OFFICER OF THIS SHIP ACTING AS CTG 71.6.2. SCREEN AXIS IS 000°T. FORMATION BASE COURSE IS 307°T, BASE SPEED 15 KTS. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF STANDARD NAVIGATIONAL LIGHTS. 1B AND 2B BOILERS ARE ON THE LINE WITH 1A, 1B, 2A, 2B SHIP'S SERVICE GENERATORS. THE ENGINEERING AND ELECTRICAL LOADS ARE SPLIT OUT. YC TO NEWARK BASE COURSE 022°T, GUIDE BEARS 012°T, 2000 YDS.

R. Howell
 R.H. HOWELL LTJG USNR

04-08 UNDERWAY AS BEFORE. MANUEVERING AT VARIOUS COURSES AND SPEEDS WHILE MAINTAINING STATION ON THE GUIDE. 0704 C/C 334°T WHILE EXCHANGING STATIONS WITH USS RUPERTUS (DD-851). 0709 C/C 022°T 0710 C/S 17 KTS. 0711 C/C 010°T. 0714 C/C 005°T. 0716 C/S 20 KTS. 0717 C/C 342°T 0720 C/S 15 KTS, C/C 022°T 0721 C/S 13 KTS, C/C 305°T: 305°T IS NEW BASE COURSE. 0725 MANUEVERING AT VARIOUS COURSES AND SPEEDS WHILE MAINTAINING POSITION IN STATION FOUR.

Jack E. Helmann
 LT USN

08-12 UNDERWAY AS BEFORE C/C 154°T 0800 C/S 154°T C/C 100°T 0828 MANUEVERING AT VARIOUS COURSES AND SPEEDS DURING LEAP FROM EXERCISES WITH USS MASON (DD-852) BASE COURSE 070 BASE SPEED 15 KTS 0855 NEW BASE COURSE 230° 0941 NEW BASE COURSE 305° 0957 NEW BASE COURSE 290° 1016 COMMENCED MANUEVERING BY TACTICAL FLAG HOIST. 1100 MASON AND THIS SHIP IN SINGLE COLUMN HEADING FOR GUN SHOOT. BASE COURSE 080. BASE SPEED 20 KTS. 1123 NEW BASE COURSE 065°. 1140 NEW BASE COURSE 092°T

D. Zimmer
 DE ZIMMER LTJG USNR

EXAMINED

Heyle

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS

Waddell (DDG-24)

DATE

Tuesday 16 Sep 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE. 1150 $\frac{1}{2}$ 164° 1208 $\frac{1}{2}$ 180° 1209 $\frac{1}{2}$ 1515 KT.
1222 $\frac{1}{2}$ 000° 1230 $\frac{1}{2}$ 060° 1321 $\frac{1}{2}$ 12 KT. 1331 $\frac{1}{2}$ 160° 1344
 $\frac{1}{2}$ 340° 1344 SET CONDITION OF READINESS I AND MATERIAL CONDITION
ZEBRA. 1407 $\frac{1}{2}$ 285° 1409 $\frac{1}{2}$ 185° 1418 $\frac{1}{2}$ 095° 1422 COMMENCED
FIRING. 1423 CEASED FIRING HAVING EXPENDED 613 ROUNDS. $\frac{1}{2}$ 20 KT. *10m*
 $\frac{1}{2}$ 358° 1426 $\frac{1}{2}$ 10 KT. 1427 $\frac{1}{2}$ 355° 1429 $\frac{1}{2}$ 352° 1430 $\frac{1}{2}$ 5 KT.
1439 $\frac{1}{2}$ 048° 1441 $\frac{1}{2}$ 12 KT. $\frac{1}{2}$ 295° 1443 $\frac{1}{2}$ 290° 1506 SET
CONDITION OF READINESS III AND MATERIAL CONDITION YOKO.

Waddell
M F MARS LTJG USNR

16-18 UNDERWAY AS BEFORE. 1630 SECURED FROM AA TRACKING
EXERCISES, DETACHED USS PERKINS (DD-877) TO PROCEED INDEPENDENTLY.
ENROUTE TO REJOIN TG 71.6 INDEPENDENTLY 1635 ALL ENGINES STOP
WHILE PUTTING MAN OVER PORT SIDE TO CLEAR DRAIN LINE. 1643
MAN BACK ON DECK $\frac{1}{2}$ 15 KNOTS $\frac{1}{2}$ 105° 1700 COMMENCED
HOLDING ENGINEERING CASUALTY CONTROL DRILLS. 1721 $\frac{1}{2}$ 340°

P. R. O'Harrow
P. R. O'HARROW LT USN

18-20 UNDERWAY AS BEFORE 1835 $\frac{1}{2}$ 300° T. $\frac{1}{2}$ 290° T. 1838 $\frac{1}{2}$ 25 KTS,
1910 $\frac{1}{2}$ 270° T. 1929 $\frac{1}{2}$ 193° T. 1937 $\frac{1}{2}$ 180° T. 1941 $\frac{1}{2}$ 138° T.

R. L. Crowell
R. L. CROWELL LTJG USNR *16*

20-24 UNDERWAY AS BEFORE. 2000 $\frac{1}{2}$ 126° T. 2009 $\frac{1}{2}$ 116° T.
2012 $\frac{1}{2}$ 125° T. 2013 $\frac{1}{2}$ 15 KTS. $\frac{1}{2}$ 10 KTS. SLOWED DUE TO
RUPTURED TUBE IN 2B BOILER. 2014 $\frac{1}{2}$ 140° T. 2023 LIT FIRES
UNDER 2A BOILER. 2028 SECURED THE MAIN UNDER 2B BOILER.
2029 $\frac{1}{2}$ 125° T. 2031 $\frac{1}{2}$ 18 KTS. 2059 $\frac{1}{2}$ 165° T. 2103 $\frac{1}{2}$ 180° T.
2109 $\frac{1}{2}$ 310° T. 2110 $\frac{1}{2}$ 300° T. 2118 PUT 2A BOILER ON THE
LINE. 2120 $\frac{1}{2}$ 310° T. 2136 $\frac{1}{2}$ 25 KTS. 2142 $\frac{1}{2}$ 300° T.
2259 $\frac{1}{2}$ 180° T. 2341 $\frac{1}{2}$ 200° T.

Jack E. Helmann
LT USN

EXAMINED:

Hayes Ellis
U. S. N. NAVIGATOR

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE Wed. 17 Sep., 19 69
(Day) (Date) (Month)

~~AT~~ PASSAGE FROM Buckner Bay Okinawa TO Sasebo, Japan

POSITION	ZONE	TIME
0800		
L <u>27-24.9N</u>	BY <u>12</u>	
λ <u>127-29.5E</u>	BY <u>12</u>	

	POSITION	ZONE	TIME
	1200		
L	28°-05.7N	BY	1,2
λ	127°-00.0E	BY	1,2

POSITION	ZONE	TIME
2000		
L <u>30°-19.0N</u>	BY <u>12</u>	
λ <u>127°-12.0E</u>	BY <u>62</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04: UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY OPERATIONS SCHEDULE. STEAMING IN COMPANY WITH THE USS ORISKANY (CUA-34), USS BUCK (DD-761), USS PERKINS (DD-877), USS MASON (DD-852), USS RUPERTUS (DD 851). SOPA AND OTC IS CTG 71.6 embarked USS ORISKANY (CUA 34). SCREEN COMMANDER IS CTG 71.6.2 embarked this ship. CONDITION OF READINESS III AND MATERIAL CONDITION YOKO ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF STANDARD NAVIGATIONAL LIGHTS. 1B AND 2A BOILERS ARE ON THE LINE WITH 1A, 1B, 2A, 2B SHIP SERVICE GENERATORS ON THE LINE ALSO THE ENGINEERING PLANT IS CROSS CONNECTED. THE ORISKANY BEARS 253°, RANGE 10000 yds. BASE COURSE 035°, BASE SPEED 15 kts. 0135 PROCEEDING TO STATION #1 of 204 SCREEN. C/C 280° 0140 C/C 275° 0143 C/C 255° 0145 C/C 135° 0147 C/C 13 kts 0149 C/C 15 kts 0152 C/C 140° 0158 C/C 12 kts C/C 125° ON STATION #1 of 204 SCREEN. GUIDE IS USS ORISKANY (CUA-34) IN STATION 22. GUIDE BEARS 225° RANGE 4500 yds from this ship. USS BUCK (DD 761) IN STATION #2, USS MASON (DD 852) IN STATION #3, USS PERKINS (DD-877) IN STATION 4. USS RUPERTUS (DD 851) IN STATION 1P6. SCREEN AXIS IS 000°T FORMATION BASE COURSE IS 125° BASE SPEED 12 kts. 0210 NEW BASE COURSE 135° 0252 NEW BASE COURSE 190°T 0329 NEW BASE COURSE 125°T BASE SPEED 16 kts.

Ronald Zimmer
DFZIMMER LTJG USNR

Ø4-Ø8 UNDERWAY AS BEFORE. Ø6Ø9 DETACHED FROM SCREEN. STEAMING INDEPENDENTLY WITHIN VISUAL SIGNAL RANGE. Ø615 9/5 12 KT. Ø617 9/12 Ø. Ø647 9/5 15 KT. 9/128 Ø. Ø656 9/10 Ø. Ø7Ø1 9/10 Ø. Ø7Ø8 9/11 Ø. Ø723 9/11 Ø.

M F MAAS CTJG USNR

08-12 UNDERWAY AS BEFORE. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE PREPARING FOR TOWING EXERCISES WITH USS RUPERTUS (DD851). 0834 PASSED RUPERTUS DD851 PORT TO PORT, DISTANCE 250 YARDS. 0834 A/STOP C/S 999 RPM FOR MANEUVERING. 0840 CAPTAIN ASSUMED THE CONN. 0841 SEA DETAIL SET ON THE BRIDGE. 0853 COMMENCED APPROACH TO USS RUPERTUS (DIW). 0858 USS RUPERTUS OFF STARBOARD BOW, DISTANCE 250 YARDS. 0919 TOWING HOUSER THROUGH BULLNOSE OF USS RUPERTUS. 0923 USS RUPERTUS (DD851) IN TOW. 1005 ALL LINES CLEAR. 1008 SECURED THE SEA DETAIL

EXAMINED

EXAMINED Heyle W. R. W. W. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS

U.S.S. Waddell (DDG-24)

DATE

WEDNESDAY 17 SEPT. 19 69

(Day)

(Date)

(Month)

REMARKS—CONTINUED

08-12 (CONTINUED) 1009 LT. O'HARROW ASSUMED THE CONN. MAIN PRO
CONTROL. ENROUTE TO RENDEZVOUS WITH USS WHITE PLAINS (AFS-4) PRO
THIS SHIP IS GUIDE USS SUPERTUS FOLLOWING IN WAK C/S TO 27
KNOTS C/C TO 350° 1050 C/C TO 340° 1110 #2A2 FORCE DRAFT
BLOWER OVERHEATING C/S ON PORT SHAFT TO 26 KNOTS 1136 C/C
TO 320° USS WHITE PLAINS (AFS-4) IDENTIFIED BY IFF BEARING
320° RANGE 34,000 YARDS CTG 71.6 ASSUMED COMMAND OF
REPLENISHMENT SHIP IN COMPANY WITH USS BUCK (DD-761), USS
MASON (DD-852), USS PERKINS (DD-877) 1139 C/C TO 330°

P. R. O'HARROW

P. R. O'HARROW LT USN

18-20: UNDERWAY AS BEFORE

Donald Zimmer
DEZIMMER LTJG USNR

20-24 UNDERWAY AS BEFORE. 2004 1/2 25 KT BASE SPEED. 2039 1/2 075°
BASE COURSE. 2056 1/2 090° BASE COURSE. 2117 1/2 110° BASE COURSE. 2125
1/2 090° BASE COURSE. 2135 1/2 030° BASE COURSE. 2210 1/2 15 KT. BASE
SPEED. 2244 CHANGE STATION TO SZ IN RC4 SCREEN. BEARING 315°
AT 4500 YDS FROM GUIDE. BASE COURSE 030° AND BASE SPEED 15 KT.

M. F. Maas
M. F. MAAS LTJG USNR

EXAMINED:

Heyle Ellis E
USC

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE THURSDAY 18 SEP 19 69
(Day) (Date) (Month)

REMARKS-CONTINUED

08-12 (CONTINUED) FROM THE PIER.Lewis K. Athow
LEWIS K. ATHOW, ENS, USN12-16 MOORED AS BEFORELewis K. Athow
LEWIS K. ATHOW, ENS, USN16-18 MOORED AS BEFORELewis K. Athow
LEWIS K. ATHOW, ENS, USN18-20 MOORED AS BEFORELewis K. Athow
LEWIS K. ATHOW, ENS, USN20-24 MOORED AS BEFORELewis K. Athow
LEWIS K. ATHOW, ENS, USN

EXAMINED:

Hayne W. S. L. J. C. U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Waddell (DDG-24) ZONE DESCRIPTION -9I DATE FRIDAY 19 SEP 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH #1 INDIA BASIN TO SASEBO, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-04~~: MOORED PORT SIDE TO, BERTH #1, INDIA BASIN, SASEBO, JAPAN WITH SIX STANDARD DOUBLED MOORING LINES. 1B BOILER; AND 1A, 1B, 2A GENERATORS ARE ON THE LINE. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP. SOPA IS COMMANDING OFFICER USS ORISKANY (CVA-34) EMBARKED ON ORISKANY. PRESENT ARE VARIOUS U.S. NAVAL SHIPS OF THE SEVENTH FLEET.

Lewis K. Atchow
LEWIS K. ATCHOW, ENS, USN

~~04-08~~ MOORED AS BEFORE

Lewis K. Atchow
LEWIS K. ATCHOW, ENS, USN

~~08-12~~: MOORED AS BEFORE

Clarence Paultz
ENS, USNR

~~12-16~~: MOORED AS BEFORE

Clarence Paultz
ENS, USNR

~~16-20~~: MOORED AS BEFORE 1614 UNLASHED RESTRICTED MEN - ALL PRESENT

Clarence Paultz
ENS, USNR

EXAMINED

Hepe Ellis U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)

DATE FRI 19 SEP 19 69
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24: MOORED AS BEFORE.

Clarence Panthe
ENS USNR

EXAMINED:

Hayne Ellis U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE SAT 20 SEP 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM Berth #1 India Basin TO SASEBO JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04: MOORED PORT SIDE TO, BERTH #1, India Basin with six standard mooring lines. Ship is steaming on 1B Boiler; 1A, 1B, 2A generators are on the line. Material condition YOKO and condition of readiness III are set throughout the ship. SOPA is COMSERV GROUP THREE. EMBARKED THE USS DELTA (AR-9). PRESENT ARE VARIOUS US NAVAL SHIPS and naval ships of the Japanese Self Defense Force.

Clarence Pantlo
ENS USNR

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW AT STATIONS. ABSENTEES: NONE.

Clarence Pantlo
ENS USNR

08-12 MOORED AS BEFORE.

T.F. Warner
T.F. WARNER, LTJG, USNR

12-16 MOORED AS BEFORE.

T.F. Warner
T.F. WARNER, LTJG, USNR

16-20 MOORED AS BEFORE.

T.F. Warner
T.F. WARNER, LTJG, USNR

20-24 MOORED AS BEFORE.

T.F. Warner
T.F. WARNER, LTJG, USNR

EXAMINED

Haye Ellis U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG—REMARKS SHEET

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDB-24 ZONE DESCRIPTION -9I DATE SUNDAY 21 SEPT 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH #1, INDIA BASIN TO SASEBO, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED PORT SIDE TO BERTH #1, INDIA BASIN, SASEBO, JAPAN WITH SIX STANDARD DESTROYER LINES DOUBLED. SHIP IS STEAMING ON 1B BOILER; 1A, 1B, 2A GENERATORS ARE ON THE LINE. RECEIVING VARIOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IN ARE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. SEVENTH FLEET, UNITS OF THE JAPANESE SELF DEFENSE FORCE, MERCHANTMEN OF THE WORLD AND VARIOUS HARBOR AND SERVICE CRAFT. SODA IS COMSCRUBU 3 EMBARKED IN THE USS DELTA (AR-9).

T.F. Warner
T.F. WARNER, LTJG, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

T.F. Warner
T.F. WARNER, LTJG, USNR

08-12 MOORED AS BEFORE

R.M. Howell
R.M. HOWELL, LTJG, USNR

12-16 MOORED AS BEFORE

R.M. Howell
R.M. HOWELL, LTJG, USNR

16-20 MOORED AS BEFORE

R.M. Howell
R.M. HOWELL, LTJG, USNR

20-24 MOORED AS BEFORE

R.M. Howell
R.M. HOWELL, LTJG, USNR

EXAMINED

Hayes Ellis S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE Monday 22 SEP 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH #1, INDIA BASIN to SASEBO JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 MOORED PORTSIDE TO BERTH #1, INDIA BASIN, SASEBO JAPAN WITH SIX STANDARD DESTROYER LINES DOUBLED STEAMING ON 1B BOILER 1A, 1B, 2A GENERATORS ON THE LINE. RECEIVING VARIOUS SERVICES FROM THE PIER MATERIAL CONDITION YOKO AND CONDITION OF READINESS IV ARE SET SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. SEVENTH FLEET, UNITS OF THE JAPANESE SELF DEFENSE FORCE, MERCHANTMEN OF THE WORLD AND VARIOUS HARBOR AND SERVICE CRAFT SOPA IS CONSERVED THREE EMBARKED IN USS DELTA (AR-9)

R M Howell
R M HOWELL LTJG USNR

04-08 MOORED AS BEFORE 0745 MUSTERED THE CREW ON STATION ABSENTEES: NONE

R M Howell
R M HOWELL, LTJG USNR

08-12 MOORED PORTSIDE TO BERTH #1, INDIA BASIN AS BEFORE.

J. A. MEYER
J. A. MEYER
LTJG, SC, USNR

12-16 MOORED AS BEFORE.

J. A. MEYER
J. A. MEYER
LTJG, SC, USNR

16-20 MOORED AS BEFORE.

J. A. MEYER
J. A. MEYER
LTJG, SC, USNR

20-24 MOORED AS BEFORE.

J. A. MEYER
J. A. MEYER
LTJG, SC, USNR

EXAMINED

Hayne Ellis U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE TUESDAY 23 SEP 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH #1, INDIA BASIN TO SASEBO JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED PORTSIDE TO BERTH #1, INDIA BASIN, SASEBO JAPAN WITH SIX STANDARD MOORING LINES DOUBLED. THE SHIP IS IN AN AUXILIARY ENGINEERING STATUS AND RECEIVING VARIOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOE AND CONDITION OF READINESS IV ARE SET. SHIPS PRESENT INCLUDE USS DELTA (AR-9) WITH COMSERVGRU THREE EMBARKED AND SERVING AS SOPA, VARIOUS OTHER UNITS OF THE U.S. SEVENTH FLEET, UNITS OF THE JAPANESE MARITIME SELF DEFENSE FORCES, AND VARIOUS MERCHANTMEN, HARBOR AND SERVICE CRAFT.

[Signature]
J. A. MEYER
LTJG, 54 USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. NO ABSENCES.

[Signature]
H. E. LITIG, USNR

08-12 MOORED AS BEFORE

[Signature]
M. A. LITIG ENS, USNR

12-16 MOORED AS BEFORE

[Signature]
M. A. LITIG ENS, USNR

16-20 MOORED AS BEFORE

[Signature]
M. A. LITIG ENS, USNR

20-24 MOORED AS BEFORE

[Signature]
M. A. LITIG ENS, USNR

EXAMINED

[Signature]
H. E. LITIG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-44 ZONE DESCRIPTION -9I DATE WEDNESDAY THUR 24 SEPT. 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH #1, INDIA BASIN TO SASEBO, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>33°-06.14</u>	BY <u>23</u>	
λ <u>129°-37.8E</u>	BY <u>23</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 MOORED PORTSIDE TO BERTH #1, INDIA BASIN, SASEBO, JAPAN. WITH SIX STANDARD MOORING LINES ABOARD DOUBLED. 1B BOILER AND 1A, 1B GENERATORS ARE ON THE LINE. SOPA IS CONSERVING THREE EMBARKED USS DELTA (AR-9).

WaddeLL
M. A. LITLY, ENS USNR.

04-08 MOORED AS BEFORE

WaddeLL
M. A. LITLY, ENS USNR.

08-12 MOORED AS BEFORE.

R. S. Evans
R. S. EVANS, LTJG, USN

12-16 MOORED AS BEFORE.

R. S. Evans
R. S. EVANS, LTJG, USN

16-18 MOORED AS BEFORE. 1700 UNDERWAY, MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH SASEBO HARBOR. 1731 MOORED PORTSIDE TO FUELING PIER NO. 2 SASEBO, JAPAN WITH SIX STANDARD MOORING LINES DOUBLED.

R. S. Evans
R. S. EVANS, LTJG, USN

18-20 MOORED AS BEFORE. 1902 UNDERWAY FOR YOKOSUKA, JAPAN. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH SASEBO HARBOR.

R. S. Evans
R. S. EVANS, LTJG, USN

20-24 UNDERWAY AS BEFORE. 2029 CLEARED THE HARBOR ENTRANCE, COURSE 180°, SPEED 18 KTS. 2217 1/2 20 KTS.

R. S. Evans
R. S. EVANS, LTJG, USN

EXAMINED

Heane *W. S. LITLY*

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE 25 THURSDAY SEPT 19 69
 (Day) (Date) (Month)
 AT/PASSAGE FROM SASEBO, JAPAN TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800 L <u>31°-20.4N</u> BY <u>1,2</u>		
λ <u>131°-42.5E</u> BY <u>1,2</u>		

POSITION	ZONE	TIME
1200 L <u>32°-06.6N</u> BY <u>1,2</u>		
λ <u>133°-10.0E</u> BY <u>1,2</u>		

POSITION	ZONE	TIME
2000 L <u>33°-09.8N</u> BY <u>2</u>		
λ <u>135°-43.9E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 UNDERWAY IN ACCORDANCE WITH CONSEQUENT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY FROM SASEBO, JAPAN TO YOKOSUKA, JAPAN OFF THE COAST OF AMAKUSA-SHIMO JIMA, JAPAN ON BASE COURSE 18Φ ON BASE SPEED 2Φ KNOTS. 1B AND 2A BOILERS AND ALL FOUR SHIPS SERVICE GENERATORS ARE ON THE LINE. SOPA AND OTC IS COMMANDING OFFICER THIS SHIP. THE SHIP IS DARKENED EXCEPT FOR ALL NORMAL NAVIGATION LIGHTS. ΦΦ27 C/C TO 185° ΦΦ36 C/C TO 18Φ° Φ125 C/C TO 13Φ° Φ3ΦΦ C/C TO 1Φ3°

~~Φ40~~

P.B. Hatch
P.B. HATCH LTJG, USNR *OK*

Φ4-Φ8 UNDERWAY AS BEFORE. Φ56 % Φ45°. Φ5Φ8 % Φ4Φ°. Φ575 C/C Φ62°. Φ655 % Φ67. Φ658 % Φ7Φ°. Φ7Φ9 % Φ62.

R.S. Evans
R.S. EVANS, LTJG, USN

Φ8-12 UNDERWAY AS BEFORE.

W.H. Schriever
W. H. SCHRIEVER, LTJG, USN

12-16: UNDERWAY AS BEFORE 1223 C/C Φ64° 1226 C/C 17KTS

Hayne Ellis
Hayne ELLIS LTJG, USNR

16-18 UNDERWAY AS BEFORE

Hayne Ellis
Hayne ELLIS LTJG, USNR

18-24 UNDERWAY AS BEFORE 1847 C/C to 14 KNOTS

P.B. Hatch
P.B. HATCH LTJG, USNR

2Φ-24 UNDERWAY AS BEFORE. 2222 C/S 16KTS. 2226 C/C Φ63°T.

R.S. Evans
R.S. EVANS, LTJG, USN

EXAMINED

Hayne Ellis

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDLE DDG-24 ZONE DESCRIPTION -9I DATE FRIDAY 26 SEPT, 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM SASEBO, JAPAN TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>34°-51.2N</u>	BY <u>2.3</u>	
λ <u>139°-06.2E</u>	BY <u>2.3</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04. UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY FROM SASEBO, JAPAN TO YOKOSUKA, JAPAN ON BASE COURSE 063° AT BASE SPEED 18KTS. 1B AND 2B BOILERS AND ALL FOUR SHIP SERVICE GENERATORS ARE ON THE LINE. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IN ARISET. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF NORMAL NAVIGATIONAL LIGHTS. C/S 18KTS.

WHSchriever

W.H. SCHRIEVER, LTJG, USN

04-08: UNDERWAY AS BEFORE. 0518 1/2 050 0602 1/2 20KTS 0628 1/2 0600 0643 1/2 033°. 0735 1/2 20KTS 0755 1/2 15KTS

Hayne Ellis LTJG, USN

08-12. UNDERWAY AS BEFORE 0808 1/2 14KTS. 0843 1/2 047°. 0902 1/2 049°T 0906 1/2 047°T 0907 1/2 12KTS. 0915 1/2 055°T 0917. COMMENCED FOG SIGNALS. 0928 0922 1/2 5KTS 0928 1/2 310°T 0955 2A BOILER IS ON THE LINE 1001 1/2 130°T. 1003 1/2 085°T. 1016 TURNED ON ALL NAVIGATIONAL LIGHTS. 1024 1/2 15KTS 1025 1/2 STOP 1026 1/2 BACK FULL 1028 1/2 STOP 1/2 AHEAD 2/3 1/2 10KTS. 1035 1/2 15KTS 1040. SET THE SPECIAL SEC AND ANCHOR DETAIL 1/2 12KTS. 1045 1/2 060°T 1053. 1/2 STOP 1/2 BACK 2/3 1/2 BACK FULL 1054 1/2 STOP 1055 1/2 AHEAD 1/2 1/2 5KTS. 1/2 076°T. 1056 1/2 100°T 1/2 10KTS. 1057 1/2 12KTS. 1059 1/2 030°T. 1100 1/2 10KTS 1104 1/2 050°T 1/2 12KTS 1107 1/2 040°T 1108 1/2 15KTS. 1/2 030°T. 1112 1/2 13KTS 1125 1/2 006°T. 1125 1/2 025°T. 1133 1/2 12KTS 1134 1/2 10KTS 1136 1/2 8KTS. 1137 1/2 358°T. 1140 PASS BOUY *2 AHEAD TO PORT. 1148 1/2 12KTS. 1152 1/2 350°T 1153 1/2 355°T. 1155 1/2 338°T. 1157 PASSED BOUY *2A AHEAD TO PORT, 100 YDS 1158 1/2 10KTS 1/2 337°T 1202 1/2 STOP 1/2 AHEAD 1/2 1/2 5KTS. 1204 PASSED BOUY *3 AHEAD TO PORT, 75 YDS. 1206 1/2 12KTS. 1/2 312°T. 1210 PASSED BOUY *3A AHEAD TO PORT, 50 YDS. 1217 1/2 278°T. 1219 PASSED BOUY *4 AHEAD TO PORT, 75 YDS. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE STANDING IN TO YOKOSUKA HARBOR. 1305 MOORED PORTSIDE TO PIER #2, YOKOSUKA NAVAL BASE WITH SIX STANDARD MOORING LINES. 1323 SECURED THE SPECIAL SEC AND ANCHOR DETAIL.

DFZimmer LTJG DFZIMMER

12-16. MOORED AS BEFORE

Hayne Ellis LTJG, USN

EXAMINED

Hayne Ellis LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADSWELL (DDG-24)

DATE Friday 26 Sep 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

16-20 MOORED AS BEFORE

Hayne Ellis JR
WJG, USNR

20-24 MOORED AS BEFORE

Hayne Ellis JR
WJG, USNR

EXAMINED:

Hayne Ellis JR
WJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE SATURDAY 27 SEPTEMBER 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED PORTSIDE TO PIER #2, YOKOSUKA NAVAL BASE, YOKOSUKA, JAPAN WITH SIX STANDARD MOORING LINES DOUBLED. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. 2A AND 2B GENERATORS AND 2B BOILER ARE ON THE LINE. THE SHIP IS RECEIVING FRESH WATER FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE UNITED STATES SEVENTH FLEET, JAPANESE SELF-DEFENSE FORCES, YARD AND HARBOR CRAFT. SOPA'S COMDESRON THREE. COMDESRON 32 IS EMBARKED THIS SHIP.

Hope Ellis LTJG, USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. NO ABSENTEES.

Hope Ellis LTJG, USN

08-12 MOORED AS BEFORE.

H.M. FLICK, JR., LTJG, USN

12-16 MOORED AS BEFORE.

H.M. FLICK, JR., LTJG, USN

16-20 MOORED AS BEFORE.

H.M. FLICK, JR., LTJG, USN

20-24 MOORED AS BEFORE.

H.M. FLICK, JR., LTJG, USN

EXAMINED

Hope Ellis LTJG U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

140

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE SUNDAY 28 SEPTEMBER 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-04~~ MOORED PORT SIDE TO BERTH 2, YOKOSUKA, JAPAN USING SIX STANDARD MOORING LINES DOUBLED. ENGINEERING PLANT IS IN AUXILIARY STATUS WITH "2B" BOILER AND "2A" AND "2B" SHIPS SERVICE GENERATORS ON THE LINE. SOPA IS CO OKLAHOMA CITY. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IF ARE SET. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US SEVENTH FLEET, VARIOUS UNITS OF THE JAPANESE MARITIME SELF-DEFENSE FORCE, AND OTHER SMALL YARD CRAFT.

H.M. Flick, Jr.
H.M. FLICK, JR, LTJG, USN

~~04-08~~ MOORED AS BEFORE.

H.M. Flick, Jr.
H.M. FLICK, JR, LTJG, USN

~~08-12~~ MOORED AS BEFORE

Hayne Ellis
Hayne Ellis LTJG, USN

~~12-16~~ MOORED AS BEFORE

Hayne Ellis
Hayne Ellis LTJG, USN

~~16-20~~ MOORED AS BEFORE

Hayne Ellis
Hayne Ellis LTJG, USN

~~20-24~~ MOORED AS BEFORE

Hayne Ellis
Hayne Ellis LTJG, USN

EXAMINED

Hayne Ellis
Hayne Ellis LTJG, USN

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE Monday 29 September 69
(Day) (Date) (Month)
AT/PASSAGE FROM Yokosuka, Japan TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 MOORED PORTSIDE TO BERTH #2, YOKOSUKA NAVAL BASE, YOKOSUKA, Japan WITH SIX STANDARD MOORING LINES. 2B SOILED, 2A AND 2B GENERATORS ARE ON THE LINE. THE SHIP IS RECEIVING FRESH WATER FROM THE PIER. MATERIAL CONDITION AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE UNITED STATES SEVENTH FLEET, JAPANESE SELF DEFENSE FORCE, YARD AND HARBOR CRAFT. SOPA IS CG OKLAHOMA CITY (CLG-5) COMDESDIV-32 IS ON-SHORE THIS SHIP.

Hayne Ellis^{RET} LTJG, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION: NO ABSENTEES.

Hayne Ellis^R LTJG, USNR

08-12 MOORED AS BEFORE

Hayne Ellis^R LTJG, USNR

12-16 MOORED AS BEFORE

Hayne Ellis^R LTJG, USNR

16-20 MOORED AS BEFORE

Hayne Ellis^R LTJG, USNR

20-24 MOORED AS BEFORE

Hayne Ellis^R LTJG, USNR

EXAMINED

Hayne Ellis^R LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FSN 0105-904-1020

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-241)

DATE _____ 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADSWORTH (DDG-241) ZONE DESCRIPTION -9E DATE Tuesday 30 September 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM Yokosuka, Japan TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 MOORED PORTSIDE TO BERTH #2, YOKOSUKA NAVAL BASE, YOKOSUKA, JAPAN WITH SIX STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION (VOCAL) AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP. 2A BOILER, 2A AND 2B GENERATORS ARE ON THE LINE. THE SHIP IS RECEIVING FRESH WATER FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE UNITED STATES SEVENTH FLEET, JAPANESE SELF DEFENSE FORCES, YARD AND HARBOR CRAFT. SOPA IS COMSEVENTHFLT EMBARKED U.S.S. OKLAHOMA CITY (CLG-5). COMDESDIV-32 IS EMBARKED THIS SHIP.

Hayne Ellis^{SR} LTJG, USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION: NO ABSENTEES.

Hayne Ellis^{SR} LTJG, USN

08-12 MOORED AS BEFORE.

Hayne Ellis^{SR} LTJG, USN

12-16 MOORED AS BEFORE

Hayne Ellis^{SR} LTJG, USN

16-20 MOORED AS BEFORE

Hayne Ellis^{SR} LTJG, USN

20-24 MOORED AS BEFORE

Hayne Ellis^{SR} LTJG, USN

EXAMINED

Hayne Ellis^{SR} LTJG, USN U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR